

AMENDMENT AND RESPONSE**PAGE 2**

Serial No.: 10/008,649

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

Attorney Docket No. 100.338US01

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of claims:

1. (Currently amended) An architecture for a telecommunications device, comprising:
 - a plurality of operational modules; and
 - a plurality of application interfaces (API), each API providing functionality for one of the plurality of operational modules, wherein each API is broadly defined to allow operation of multiple driver sets depending upon a desired driver for the system;
wherein the plurality of operational modules are adapted to be modified without affecting the operation of the plurality of application interfaces.
2. (Original) The architecture of claim 1, wherein at least one of the plurality of interfaces supports a plurality of different drivers, and wherein the at least one of the plurality of interfaces comprises:
 - a first portion of information common to each of the plurality of different drivers; and
 - a second portion of information specific to one of the plurality of different drivers.
3. (Currently amended) An architecture for a telecommunications transport device, comprising:
 - an application layer;
 - a framework layer;
 - a hardware driver layer; and
 - a plurality of interfaces, an interface between each layer and each other layer, the plurality of interfaces providing interaction between the layers;,
wherein the architecture is adapted to be modified without affecting operation of the device.

AMENDMENT AND RESPONSE

PAGE 3

Serial No.: 10/008,649

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

Attorney Docket No. 100.338US01

4. (Original) The architecture of claim 3, whercin each of the plurality of interfaces supports

a broadly defined set of operations within a predefined category of operations.

5. (Original) The architecture of claim 3, whrcin at least one of the plurality of interfaces

supports a plurality of different drivers, and whrcin the at least one of the plurality of interfaces comprises:

a first portion of information common to each of the plurality of different drivers; and

a second portion of information specific to one of the plurality of different drivers.

6. (Currently amended) An architecture for a telecommunications device, comprising:

an application layer;

a framework layer; and

a hardware layer, the layers connected through a plurality of interfaces between each layer and each other layer, wherein the architecture further comprises:

a plurality of modules, each module capable of performing a function of the system;

wherein the plurality of modules are adapted to be modified without affecting operation of the plurality of interfaces.

7. (Currently amnded) A modular architcture for a telecommunications system,

comprising:

a plurality of function modules, each function module supported by a driver set; and

a plurality of application interfaces, each application interface broadly defined to support the driver set for its respective function module;

wherein the plurality of function modules are adapted to be modified without affecting operation of the plurality of application interfaces.

AMENDMENT AND RESPONSE

PAGE 4

Serial No.: 10/008,649

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

Attorney Docket No. 100.338US01

8. (Currently amended) A method for defining a telecommunications system architecture, comprising:

defining a plurality of driver sets, a driver set for each of a plurality of functions of the system, each of the plurality of driver sets supporting at least one driver for a respective function module;

selecting a subset of the plurality of system functions; and

applying one of the at least one driver of each driver set to its respective function module through an application interface layer between the driver and the function module; and

modifying the respective function module without affecting the operation of the system.

9. (Original) The method of claim 8, and further comprising:

changing the driver applied to a function module without changing the application interface.

10. (Currently amended) A method of making configuration changes in a telecommunications system, comprising:

defining a plurality of application interfaces, each application interface facilitating communication between a driver set and a function module of the system, wherein each of the application interfaces supports a broadly defined set of operations within a predefined category of operations for a function module;

selecting a driver from the driver set for each of the function modules; and

applying the selected driver to its respective function module through its respective application interface; and

modifying the function module without affecting operation of the system.

11. (Currently amended) A method of operating a telecommunications system, comprising:

defining a plurality of application interfaces, each application interface providing an interface between a driver module and the system; and

AMENDMENT AND RESPONSE

PAGE 5

Serial No.: 10/008,649

Attorney Docket No. 100.338US01

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

applying one of a set of drivers to each of the plurality of application interfaces depending upon a predetermined driver need; and
modifying the driver module without affecting the operation of the system.

12. (Original) The method of operating a telecommunications system of claim 11, wherein applying one of a set of drivers is seamless to a user of the system.

13. (Original) The method of operating a telecommunications system of claim 11, wherein defining further comprises:

generating a set of common instructions for each of the drivers in the set of drivers, the common instructions applicable to each of the drivers of the set of drivers; and

generating a plurality of sets of non-common instructions, a set of non-common instructions for each of the drivers in the set of drivers.

14. (Currently amended) A machine readable medium having machine readable instructions for causing a computer to perform a method comprising:

defining a plurality of application interfaces, each application interface providing an interface between a driver module and the system; and

applying one of a set of drivers to each of the plurality of application interfaces depending upon a predetermined driver need; and

modifying the driver without affecting the operation of the system.

15. (Original) The machine readable medium of claim 14, wherein applying one of a set of drivers is seamless to a user of the system.

16. (Currently amended) A method of communicating between a plurality of individual modules in a telecommunications system, comprising:

defining a driver layer containing a plurality of drivers for a plurality of system modules, wherein each of the system modules performs a specific system operation;

AMENDMENT AND RESPONSE

PAGE 6

Serial No.: 10/008,649

Attorney Docket No. 100.338US01

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

defining a plurality of application interfaces, an application interface between one of the plurality of drivers in the driver layer of the system and one of the system modules, each application interface defined to support a predetermined set of system functions; and
modifying at least one of the system modules without affecting the operation of the system.

17. (New) The architecture of claim 1, wherein the modified operational modules are modified by one or more of expansion, deletion, and replacement of at least one of the plurality of operational modules.

18. (New) The architecture of claim 6, wherein the modified modules are modified by one or more of expansion, deletion, and replacement of at least one of the plurality of modules.

19. (New) The modular architecture of claim 7, wherein the modified function modules are modified by one or more of expansion, deletion, and replacement of at least one of the plurality of function modules.

20. (New) The method of claim 8, wherein the modified function module is modified by one or more of expansion, deletion, and replacement of the function module.

21. (New) The method of claim 10, wherein the modified function module is modified by one or more of expansion, deletion, and replacement of the function module.

22. (New) The method of claim 11, wherein the modified driver module is modified by one or more of expansion, deletion, and replacement of the driver module.

23. (New) The method of claim 14, wherein the modified driver module is modified by one or more of expansion, deletion, and replacement of the driver module.

JUN-10-2005(FRI) 15:27

FOGG AND ASSOCIATES, LLC

(FAX)612 332 4731

P. 010/016

AMENDMENT AND RESPONSE

PAGE 7

Serial No.: 10/008,649

Filing Date: 11/9/2001

Title: TELECOMMUNICATIONS SYSTEM ARCHITECTURE

Attorney Docket No. 100.338US01

24. (New) The method of claim 16, wherein the at least one of the modified system modules is modified by one or more of expansion, deletion, and replacement of at least one of the system modules.